

# Agilent P940xA/C Solid State PIN Diode Switches

# **Operating and Service Manual**



### **Notices**

© Agilent Technologies, Inc. 2007

No part of this manual may be reproduced in any form or by any means (including electronic storage and retrieval or translation into a foreign language) without prior agreement and written consent from Agilent Technologies, Inc. as governed by United States and international copyright laws.

#### **Manual Part Number**

P9402-90001

#### **Edition**

Second Edition, September 2007

Printed in Malaysia

Agilent Technologies, Inc. Phase 3 Bayan Lepas Free Industrial Zone Bayan Lepas, Penang 11900 Malaysia

#### **Warranty**

The material contained in this document is provided "as is," and is subject to being changed, without notice, in future editions. Further, to the maximum extent permitted by applicable law, Agilent disclaims all warranties, either express or implied, with regard to this manual and any information contained herein, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. Agilent shall not be liable for errors or for incidental or consequential damages in connection with the furnishing, use, or performance of this document or of any information contained herein. Should Agilent and the user have a separate written agreement with warranty terms covering the material in this document that conflict with these terms, the warranty terms in the separate agreement shall control.

### **Technology Licenses**

The hardware and/or software described in this document are furnished under a license and may be used or copied only in accordance with the terms of such license.

### **Restricted Rights Legend**

U.S. Government Restricted Rights. Software and technical data rights granted to the federal government include only those rights customarily provided to end user customers. Agilent provides this customary commercial license in Software and technical data pursuant to FAR 12.211 (Technical Data) and 12.212 (Computer Software) and, for the Department of Defense, DFARS 252.227-7015 (Technical Data - Commercial Items) and DFARS 227.7202-3 (Rights in Commercial Computer Software or Computer Software Documentation).

#### **Safety Notices**

### **CAUTION**

A CAUTION notice denotes a hazard. It calls attention to an operating procedure, practice, or the like that, if not correctly performed or adhered to, could result in damage to the product or loss of important data. Do not proceed beyond a CAUTION notice until the indicated conditions are fully understood and met.

### WARNING

A WARNING notice denotes a hazard. It calls attention to an operating procedure, practice, or the like that, if not correctly performed or adhered to, could result in personal injury or death. Do not proceed beyond a WARNING notice until the indicated conditions are fully understood and met.

### Certification

Agilent Technologies certifies that this product met its published specifications at the time of shipment from the factory. Agilent Technologies further certifies that its calibration measurements are traceable to the United States National Institute of Standards and Technology (NIST, formerly NBS), to the extend allowed by the Institute's calibration facility, and to the calibration facilities of the other International Standards Organization members.

## **WEEE Compliance**



This product complies with the WEEE Directive (2002/96/EC) marking requirements. The affixed label indicates that you must not discard this electrical/electronic product in domestic household waste.

Product Category: With reference to the equipment types in the WEEE Directive Annex I, this product is classed as a "Monitoring and Control Instrumentation" product.

Do not dispose in domestic household waste.

To return unwanted products, contact your local Agilent office, or see www.agilent.com for more information.

# **Contacting Agilent**

For more information, please contact your nearest Agilent office.

#### **Americas**

Canada	(877) 894-4414
Latin America	305 269 7500
United States	(800) 829-4444

### **Asia Pacific**

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 112 929
Japan	81 426 56 7832
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Thailand	1 800 226 008

### **Europe**

•	
Austria	0820 87 44 11
Belgium	32 (0) 2 404 93 40
Denmark	45 70 13 15 15
Finland	358 (0) 10 855 2100
France	0825 010 700
Germany	01805 24 6333
Ireland	1890 924 204
Italy	39 02 92 60 8484
Netherlands	31 (0) 20 547 2111
Spain	34 (91) 631 3300
Sweden	0200-88 22 55

 Switzerland(French)
 41 (21) 8113811 (Opt 2)

 Switzerland(German)
 0800 80 53 53 (Opt 1)


 United Kingdom
 44 (0) 118 9276201

Other European Countries: www.agilent.com/find/contactus

Or, go to www.agilent.com/find/assist for more information.

# **Contents**

1	Introduction 7
	Product Overview 8 Features 9
	Circuit Logic 10
	Specifications 12
2	<b>Environmental Specifications &amp; Physical Dimensions</b> 15
	Environmental Specifications 16
	Physical Dimensions 17 P9402A/C Dimensions 17 P9404A/C Dimensions 18
3	Operating Guides 19
	Installation 20
	Initial Inspection 20
	Operating Instruction 21
	Operator's Check 21
	Performance Tests 23
	Service Instructions 23



This chapter provides an overview or general information of Agilent solid state PIN diode switches and specifications for four models of switches available.



### **Product Overview**

Agilent P940xA/C consist of  $8/18~\mathrm{GHz}$  SP2T/4T solid state switches which are developed based on PIN diode technology. These solid state PIN diode switches offer superior performance in terms of isolation, insertion loss and return loss throughout broadband frequency range.




Figure 1 Agilent P9402A (left) and P9404C (right) Solid State PIN Diode Switches

Table 1 List of Solid State PIN Diode Switches

Agilent Model Number	Frequency Range	Connector Type
P9402A	100 MHz to 8 GHz	SMA (f)
P9402C	100 MHz to 18 GHz	SMA (f)
P9404A	100 MHz to 8 GHz	SMA (f)
P9404C	100 MHz to 18 GHz	SMA (f)

Agilent P940xA/C solid state PIN diode switches are particularly designed to match high-speed RF and microwave switching applications in instrumentation, radar, communication test systems. The P940xA/C switches have a SPDT and SP4T PIN diode individual control switch IC and discrete shunt pin diodes on the RF path which enhances the isolation between ports. Ultra fast switching speed of < 450 ns assures fast, reliable and accurate switching that meets today's high speed switching applications.

### **Features**

- Reduce test system set up costs with the ultra long switching life
- Dramatically increase throughput with ultra fast switching speed of  $<450~\mathrm{ns}$
- Minimize cross-talk with exceptionally high port-to-port isolation of > 80 dB
- Optimize your system dynamic range with low insertion loss switches of 2.5 dB at 4 GHz, SP4T

# **Circuit Logic**

Agilent P940xA/C switches have the integrated TTL/CMOS driver which is configured in such a way that when CTRL Logic 1 is turn ON by applying logic '0' while the rest of the CTRL Logics are turn OFF by applying logic '1' which will be terminated to 50 Ohm. CTRL Logic 1 will control connection from RFCOM to RF1. This also apply to all the CTRL Logics such as CTRL Logic 2, CTRL Logic 3 and CTRL Logic 4. For application of isolation from all ports, logic '1' is applied to all CTRL Logics. Figure 2 and Figure 3 are the illustration of configuration for 2-port and 4-port switches.




Figure 2 Block Diagram on the Operation of P9402A/C Switches




Figure 3 Block diagram on the Operation of P9404A/C Switches

 Table 2
 Switch Operation Logic

CTRL Logic	RFCOM to RF
0	Low Loss
1	Isolated

<sup>\*</sup> RF refers to RF1, RF2, RF3, and RF4.

# **Specifications**

Specifications refer to the performance standards or limits against which the solid state PIN diode switches are tested.

Typical characteristics are included for additional information only and they are not specifications. These are denoted as "typical", "nominal" or "approximate" and are printed in italics.

Table 3 P9402A/C Solid State PIN Diode Switches

Agilent Model Number	P9402A	P9402C
Frequency Range	100 MHz to 8 GHz	100 MHz to 18 GHz
Insertion Loss	< 2.5 dB (100 MHz to 4 GHz	)< 3.5 dB (100 MHz to 8 GHz)
	< 3.2 dB (4 GHz to 8 GHz)	< 4.0 dB (8 GHz to 18 GHz)
Isolation	80 dB	80 dB
Return Loss (ON & Common Port)	> 15 dB	> 10 dB
Return Loss (OFF Port)	> 15 dB	> 10 dB
Switching speed rise/fall*	380 ns (typical)	380 ns (typical)
Video Leakage	N/A	N/A
Characteristic Impedance	50 $\Omega$ (nominal)	50 $\Omega$ (nominal)
Connectors	SMA (f)	SMA (f)

Switching speed is based on 50% TTL to 90% RF

Table 4 P9404A/C Solid State PIN Diode Switches

Agilent Model Number	P9404A	P9404C
Frequency Range	100 MHz to 8 GHz	100 MHz to 18 GHz
Insertion Loss	< 2.5 dB (100 MHz to 4 GHz	z)< 3.5 dB (100 MHz to 8 GHz)
	< 3.5 dB (4 GHz to 8 GHz)	< 4.5 dB (8 GHz to 18 GHz)
Isolation	80 dB	80 dB
Return Loss (ON & Common Port)	> 15 dB	> 10 dB
Return Loss (OFF Port)	> 15 dB	> 10 dB
Switching speed rise/fall*	450 ns (typical)	450 ns (typical)
Video Leakage	N/A	N/A
Characteristic Impedance	50 $\Omega$ (nominal)	50 $\Omega$ (nominal)
Connectors	SMA (f)	SMA (f)

 $<sup>^{\</sup>ast}~$  Switching speed is based on 50% TTL to 90% RF

 Table 5
 Absolute Maximum Ratings

	P9402A/C		P9404A/C	
Parameters	Min	Max	Min	Max
RF input power (average)	+ 23 dBm +		+ 27 dBm	
V <sub>CC</sub> DC Supply Voltage	+ 4.5 V	+ 5.5 V	+ 4.5 V	+ 5.5 V
V <sub>EE</sub> DC Supply Voltage	- 5.5 V	-4.5 V	– 5.5 V	- 4.5 V
CTRL input high voltage	+ 2.4 V	V <sub>CC</sub>	+ 2.4 V	V <sub>CC</sub>
CTRL input low voltage	- 0.8 V	+ 0.8 V	- 0.8 V	+ 0.8 V



"P9404A/C Dimensions"

This chapter contains the environmental tests on the P940xA/C that fully comply with Agilent Technologies' product operating environmental specifications. The physical dimensions are illustrated in the later section.

# **Environmental Specifications**

Agilent P940xA/C solid state PIN diode switches are designed to fully comply with Agilent Technologies' product operating environmental specifications as shown in Table 6.

**Table 6** P9402A/C & P9404A/C Solid State PIN Diode Switches Environmental Specifications

Tem	perature:		
• Stora	Operating	-55° C to +95° C	
	Storage	-65° C to +125° C	
۰	Cycling	-65° C to +150° C, 10 cycles @ 20° C per minute, 20 minutes dwell time per MIL-STD-833F, Method 1010.8, Condition C (modified)	
Hum	nidity:		
<ul> <li>Operating</li> </ul>		$50\%$ to $95\%$ RH @ $40^\circ$ C, one 24 hour cycle, repeat 5 times	
۰	Storage	<90% RH at 65° C, 1 day	
Sho	ck:		
۰	Half sine, smoothed	1000 G @ 0.5 ms, 3 shock pulses per orientation, 18 total smoothed per MIL-STD-833F, Method 2002.4, Condition B (modified)	
Vibr	ation:		
٠	Broadband	50 to 2000 Hz, 7.0 G rms, 15 minutes, per MIL-STD-833F, Method 2026-1 (modified)	
Altit	ude;		
•	Storage	< 15, 300 meters (50,000 feet)	
ESD	immunity:		
٠	Direct discharge	2.5 kV per IEC 61000-4-2	
۰	Air discharge	3.5 kV per IEC 61000-4-2	


# **Physical Dimensions**

Table 7 and Table 8 illustrate the physical dimensions of P9402A/C and P9404A/C solid state PIN diode switches.

### P9402A/C Dimensions

 Table 7
 P9402A/C Solid State PIN Diode Switches Physical Dimensions

Dimensions	Per Figure 4
Net weight, kg (lb)	0.05 (0.11)




Dimensions are in milimeters (inches).

Figure 4 Dimensions of P9402A/C Solid State PIN Diode Switches

### P9404A/C Dimensions


 Table 8
 P9404A/C Solid State PIN Diode Switches Physical Dimensions

Dimensions	Per Figure 5
Net weight, kg (lb)	0.15 (0.33)



Dimensions in milimeters (inches).

Figure 5 Dimensions of P9404A/C Solid State PIN Diode Switches



Installation 20
"Initial Inspection"
Operating Instruction 21
"Operator's Check"
Performance Tests 23

This chapter describes the installation of the P940xA/C. The operating instruction quick-check procedure is included for verification test prior to usage. Service instructions on the repair and maintenance of the P940xA/C are also included in this chapter.

### Installation

### **Initial Inspection**

- 1 Inspect the shipping container for damage. If the shipping container or cushioning material is damaged, it should be kept until the contents of the shipment have been checked for completeness and the instrument has been checked both mechanically and electrically.
  - Check for mechanical damage such as scratches or dents.
  - Procedures for checking electrical performance are given under "Operator's Check" or "Performance Tests".
- 2 If the contents are incomplete, if there is mechanical damage or defect, or if the instrument does not pass the electrical performance test, contact the nearest Agilent Technologies Sales and Service office. Refer to the Service and Support information in the front matter of this manual. Agilent Technologies will arrange for repair or replacement of the damaged or defective equipment. Keep the shipping materials for the carrier's inspection.
- 3 If you are returning the instrument under warranty or for service, repackaging the instrument requires original shipping containers and materials or their equivalents. Agilent Technologies can provide packaging materials identical to the original materials. Refer to Service and Support information in the front matter of this manual for the Agilent Technologies nearest to you. Attach a tag indicating the type of service required, return address, model number and serial number. Mark the container *FRAGILE* to insure careful handling. In any correspondence, refer to the instrument by model number and serial number.

# **Operating Instruction**

### **Operator's Check**

The operator's check is supplied to allow the operator to make quick-check of the switches prior to use or if a failure is suspected.



ESD exceeding the level specified in Table 6 or RF power applied is greater than the maximum specified as in Table 5 may cause permanent damage to the device.

#### **Description**

The solid state PIN diode switch is connected to a network analyzer configured for the s—parameter measurement. The network analyzer may be set to sweep over the whole or selected frequency range of the solid state PIN diode switch to be verified. The S21 (insertion loss) measurement is the best way to determine if the switch is working properly by applying the appropriate logic to the CTRL pin.




Figure 6 Quick-check Configuration for P9402A/C

#### 3 Operating Guides




Figure 7 Quick-check Configuration for P9404A/C

#### **Quick-Check Procedure**

- 1 Calibrate the network analyzer with full 2- port cal using the appropriate electronic/mechanical calibration kit.
- 2 To measure Port 1 of the switch, connect network analyzer's Port 1 to the common port of the switch and network analyzer's Port 2 to Port 1 of the switch respectively.
- 3 Turn ON Port 1 of the switch by applying logic '0' (0 V) to biasing pin CTRL 1 and turn OFF the rest of the ports by applying logic '1' (+5 V) to the respective biasing pin. Measure S11, S21 and S22(ON) and verify against Table 3 or Table 4.
- 4 Turn OFF Port 1of the switch by applying logic '1' (+5 V) to biasing pin CTRL 1. Measure S22(OFF) and verify against Table 3 or Table 4.
- 5 Repeat steps 2 to 4 for each respective ports and verify against Table 3 or Table 4.

### **Performance Tests**

The solid state PIN diode switches can be tested to the accuracy of the specifications with a network analyzer or equivalent equipment of suitable accuracy. If a network analyzer is available, test instrument using the procedure in the analyzer's operating manual.

### **Service Instructions**

### Adjustment

The solid state PIN diode switches do not have internal adjustments and should not be opened.

### Repair

The P940xA/C solid state PIN diode switches are not recommended for repair as most components are not easily removed.

#### Maintenance

The connectors, particularly the connector faces, must be kept clean. For instruction on connecting and care of your connectors, refer to Microwave Connector Care Quick Reference Card (08510-90360).