

Mini Traveling Wave Tubes




communications


Electron Devices

Mini Traveling Wave Tubes from L-3 Electron Devices

L-3 Communications, Electron Devices Division, builds Mini-TWTs for a wide variety of applications including Electronic Warfare, Radar, Communications, and Decoys. The configuration of these Mini-TWTs range from the conventional single-stage collector designs to state-of-the-art, high efficiency, Vacuum Power Boosters used in Microwave Power Modules. Electron Devices' Mini-TWTs are available in single and multi-octave models operating from 2 to 46 GHZ.



Compact Mini Traveling Wave Tubes.



Electron Devices newest millimeter mini TWT the L6083.



Mini tube integrated into an open Microwave Power Module.

Mini Traveling Wave Tubes

Conventional Mini TWTs

Electron Devices Mini-TWTs typically operate at voltages less than 5 KV and incorporate APBN rods and AL2O3 output windows and ALN collectors, eliminating BeO, a hazardous material. These Mini-TWTs incorporate a focus electrode for modulation of the electron beam.




Product Information

Conventional Miniature TWTs	Frequency Range (GHz)	Output Power (Watts)	Small Signal Gain (dB)	Minimum Efficiency (%)	Collector Stages	Dimensions L x W x H (inches)
L6043	2.0 to 8.0	50	30	15	Single	14.1 x 1.05 x 1.75
L5936	4.5 to 18.0	20	43	12	Single	12.05 x .0795 x 1.75
L6117	6.0 to 18.0	50	40	17	Single	12.05 x .840 x 2.44
L5990	9.5 to 10.0	140	30	30	Single	7.3 x 1.3 x 1.25
L5928	6.0 to 18.0	65	40	15	Single	12.25 x 1.035 x 1.81

High Efficiency Mini TWTs & VPBs

In response to new requirements with reduced prime power consumption, Electron Devices developed a line of high efficiency Mini-TWTs incorporating two, three, and four stage collectors. A line of Vacuum Power Boosters (VPBs) was also developed for use in Microwave Power Modules. These VPBs are miniaturized, high efficiency Mini-TWTs incorporating multi-stage collectors and minimal packaging and are the smallest and lightest TWTs available.




Product Information

Conventional Miniature TWTs	Frequency Range (GHz)	Output Power (Watts)	Small Signal Gain (dB)	Minimum Efficiency (%)	Collector Stages	Dimensions L x W x H (inches)
L6017	2.0 to 8.0	50	25	30	Triple	10.5 x 1.5 x 1.25
L5978	6.0 to 17.5	20	24	25	Dual	5.75 x 1.5 x 0.8
L6074	6.0 to 18.0	50	23	25	Triple	6.1 x 0.9 x 1.1
L6035	4.5 to 18.0	35	30	25	Dual	9.0 x 1.8 x 1.0
L6108	14.0 to 14.5	125	30	35	Dual	9.0 x 1.23 x 0.9
L6083	26.0 to 40.0	20	30	20	Dual	6.0 x 1.0 x 1.0
L6024	40.0 to 46.0	40	30	22	Triple	6.0 x 1.0 x 1.0


High Power Mini TWTs

Electron Devices has also developed a line of high power Mini-TWTs. These Mini-TWTs are capable of providing RF output power comparable to conventional high voltage TWTs. These Mini-TWTs operate at a nominal 5 KVDC and incorporate multi-stage collectors for improved efficiency. When compared to conventional "big bottle" TWTs, these high power Mini-TWTs are significantly smaller and lighter and offer increased reliability.



Product Information

High Power Miniature TWTs	Frequency Range (GHz)	Output Power (Watts)	Small Signal Gain (dB)	Minimum Efficiency (%)	Collector Stages	Dimensions L x W x H (inches)
L6049	4.5 to 18.0	110	30	25	Dual	9.0 x 1.8 x 1.5
L6084	5.0 to 10.0	200	35	30	Triple	11.0 x 1.3 x 1.5
L6103	4.5 to 18.0	110	34	27	Triple	9.0 x 1.8 x 1.5



International Representatives

Comtech Systems Corporation

2F, No. 166
Fu-Hsing N. Road
Taipei
Taiwan, R. O. C. 10440
Telephone: +886-2-713-3713
Entity Fax: +886-2-718-8036
cscocc@ms15.hinet.net

Midoriya Electric Company

2-7-19 Kyobashi, Chuo-Ku
Tokyo
Japan 104-8307
Telephone: +81-3-3561-5763
Entity Fax: +81-3-3561-5794
y-maruyama@midoriya.co.jp

Elexo

20, rue de Billancourt
Boulogne
France 92100
Telephone: +33-1-41-22-10-00
Entity Fax: +33-1-41-22-10-01
info@elexo.fr

Globes Elektronik GmbH & Co KG

Berliner Platz 12
Heilbronn
Germany 74072
Telephone: +07131-7810-0
Entity Fax: +07131-7810-20
hf-welt@globes.de

Inde Enterprises

745 Sector 8-B
Chandigarh
India 160-009
Telephone: +91-172-2544417
Entity Fax: +91-172-2544878
info@indeenterprises.com

MTI Engineering, LTD

Afek Industrial Park
11 Hamelacha Street
Rosh Haayin
Israel 48091
Telephone: +972-3-9008900 / x516
Entity Fax: +972-3-9025556
adi_p@mti-group.co.il

Link Microtek LTD

Intec 4.1
Wade Road, Basingstoke
Hampshire
United Kingdom RG24 8NE
Telephone: +44 (0)1256-355
Entity Fax: +44 (0)1256-355
sales@linkmicrotek.com

SM Engineering

10th Floor, Suwoon Hoikwang
Kyungun-Dong, Jungo-Ku
Seoul
Korea 110-310
Telephone: +82-2-733-9336
Entity Fax: +82-2-739-9698
jsinn@smeng.net

Miltek, Inc.

Sancak Mahallesi
Kahire Caddesi 2a/2
Çankaya / Ankara
Turkey
Telephone: +90-312-443-06-39
Entity Fax: +90-312-443-06-59
miltek@ttnet.tr

Cleared by OSRD06 06-S-0864 2/27/06.

960 Industrial Road, San Carlos, CA 94070
Phone: 650-591-8411 Fax: 650-508-1956

e-mail: scl.marketing@L-3com.com
web: www.L-3com.com/edd

mb506/jc



communications

Electron Devices