


REVISIONS				
LTR	DESCRIPTION	E.C.N.	DATE	BY/APP'D
C	REVISE & REDRAW PER NEW STANDARD	10405	05/19/94	TL/GY
D	.214 WAS .212; .187 WAS .185; .041 WAS .040; REVISE TOLERANCES	10799	03/01/95	TL/



CONTROLLING DIMENSION IS INCH
VALUES IN [] ARE MILLIMETERS

NOTES: UNLESS OTHERWISE SPECIFIED

1. LEADS TO BE LOCATED WITHIN .007 IN/ 0.18 mm OF THEIR TRUE POSITIONS RELATIVE TO A MAXIMUM WIDTH TAB.
2. STANDARD METAL CAN TYPE: SOLID BASE.
3. APPLIES TO MIL-AERO AND LINEAR PRODUCTS.
4. REFERENCE JEDEC REGISTRATION TO-46, JEDEC PUBLICATION No. 95.

MIL-I-38535
CONFIGURATION CONTROL

APPROVALS		DATE	National Semiconductor		
DRAWN T. LEQUANG		05/19/94	2900 Semiconductor Dr., Santa Clara, CA 95052-8090		
DFTG. CHK.			METAL CAN, TO-46, 4 LEAD, .100 DIA P.C.		
ENGR. CHK.					
		SCALE N/A	SIZE C	DRAWING NUMBER MKT-H04A	REV D
DO NOT SCALE DRAWING SHEET 1 of 1					