

Nature & Technology: Vibrations Everywhere!



FIELD OF APPLICATION

- A Aerospace
- B Audio & Acoustics
- C Automotive
- D Data Storage
- G General Vibrometry
- M MEMS & Microstructures
- P Production Testing
- S Scientific & Medical
- T Structural Testing
- U Ultrasonics

Polytec's Vibrometers are Indispensable Tools to Optimize Parts and Goods and to Investigate Natural Dynamic Processes

Originally developed to characterize man-made products, technology and systems, non-contact laser-Doppler vibrometry is also exploring measurements that unravel the mysteries of biological structures. Read on to learn more about vibrations in both nature and technical products and processes. Discover how these vibrations are detected and studied using laser vibrometry. Find more interesting applications and Polytec Application Notes on www.polytec.com/usa/applications.

Introduction


The heart beats, wings flap, sounds are sent out and received – life would be much too quiet without vibrations. To investigate vibrating systems in nature requires sensitive and flexible measurements that don't disturb the specimen. Challenging tasks in medicine, biology and many other sciences take advantage of Polytec's universal modular vibrometers, single-box portable devices, or high-end scanning systems.

In the field of industrial research and development, Polytec's vibrometers are used to study objects of very different sizes including large automobile bodies, airplane fuselages, ship engines and buildings as well as tiny silicon micromachines, hard disk drive components and wirebonders. There are numerous other research applications in mechanical and civil engineering.

Demanding applications such as measurements on hot running exhausts, rotating surfaces, underwater objects, delicate structures or ultrasonic devices are all made possible by non-contact laser vibrometry.

At the heart of every Polytec vibrometer system is the laser Doppler vibrometer – a very precise optical transducer used for determining the vibration velocity and displacement at a point by sensing the frequency shift and phase variation of back scattered laser light from a moving surface.

To learn more about laser Doppler vibrometry, please visit www.polytec.com/usa/vib-university.




Polytec GmbH
Laser Measurement Systems
Application Note
VIB-G-05

June 2006

MEMS and Microstructures


MEMS (Micro-Electro-Mechanical Systems) find numerous applications in the automotive, medical, bio-chemical and aeronautic industry. As a consequence there is a huge demand for standardized MEMS testing for both packaged and unpackaged devices (single die and wafer-level testing). Polytec's instrumentation for micro motion analysis enables the systematic testing of the dynamic mechanical response to important electrical and physical inputs, as well as the dynamic investigation of other microscopic structures ranging from natural objects to semiconductor components.

www.polytec.com/usa/microstructures



Quality control of a gyroscopic MEMS sensor (photo courtesy: Bosch)

Combined measurement of surface topography, out-of-plane and in-plane vibration on a MEMS comb drive using the MSA-400 Micro System Analyzer




Semiautomatic, wafer-level measurements of MEMS dynamics



Vibration measurement on a cable-stayed bridge




Non-destructive testing of delamination in a composite material



Materials Research, Mechanical and Civil Engineering


Laser vibrometry is an ideal tool for the measurement of structural dynamics and for non-destructive flaw detection (fracture, delamination, fatigue) in all kinds of materials, parts and components. For instance, vibrometry can be used for non-destructive testing and for the investigation of ultrasonic wire bonding.

Regarding buildings and industrial plants, there are many applications for in-the-field structural health monitoring on wind turbines, building vibration and displacement, and cable-stayed bridges to prevent bridge resonance failure. Geological applications include detection of land mines, rock failures and earthquake-induced defects in concrete.



Measurement of honeycomb vibrations generated by dancing bees


Drosophila head and laser spot focused onto its antenna sound receiver



Biology

For numerous living species on our planet there are corresponding biological applications of laser vibrometry. One of the most prominent is insect communication. Some insect sounds are quite loud, such as the singing of the cicada; while others are supersonic and can't be heard. Some insects are so small that their songs are transmitted mainly through a plant rather than air. Entomologists use vibrometers to record this unheard noise for later study. Consider honeycomb vibrations in beehives; these signals can only be measured with highly sophisticated equipment. Other bio applications include measuring communication between elephants, fruit ripeness, spider web motion, and the hearing mechanism in frogs and fruit flies. www.polytec.com/usa/research

Laser Audiometer providing full ear diagnostics within a couple of seconds



Laser vibrometer measurements of the vibration patterns of dental ultrasonic scaling equipment

Medical and Health Care

Laser vibrometry can assist with eardrum diagnostics and research on the middle and inner ear. In addition, vibrometers have been used for vibration measurements on artificial heart valves, mechanical properties of tendons, analysis of vibrations while bone drilling or medical laser ablation, and detection of bone crack propagation.

Medical, safety and health care devices like tooth brushes, dental scalers and respirators have been investigated using Polytec vibrometers. The vibrometer can also function as a non-contact polygraph detector recording artery pulse waves and respiratory activity, or as a remote voice detector as a part of a multi-media surveillance system. www.polytec.com/usa/research


Scanning vibrometer representation of heart valve motion



Acoustics

Musical instruments generate wonderful, inspiring sounds through their vibrations. Polytec vibrometers can help us understand how this happens with early work already done on violins, cembalos and dulcimers. Vibrometers are also indispensable tools for loudspeaker design identifying diaphragm resonances that are deleterious to the sound quality. Vibrometer measurements provide an experimental basis for sophisticated acoustic investigations like structural-acoustic response (sound field) predictions, acoustic imaging and anti-sound research. Acoustics are also increasingly important in product design. The focus is on how and where are undesired noises generated and at which point or location can countermeasures be taken.

Operational deflection shape of a violin



Sound field measurement using PSV Scanning Vibrometer (photo courtesy: Bosch)



3-D vibrometry on brake disks to reveal brake squealing



3-D scanning measurement of structural dynamics of a car body



Valve train measurement using High Speed Vibrometer (photo courtesy: Porsche)




Automotive Development

To certify that a new part meets noise and vibration specifications, automotive engineers favor testing instruments that are easy to set up and operate, and that can exchange data with existing CAE equipment and software. Polytec's laser vibrometers are widely used both for structural dynamics measurements in the R&D labs and for quality control purposes in the production process. Laser vibrometry gives the opportunity to optimize dynamic automotive FE models by matching the parameters derived from vibration measurements on prototypes to the FE model. Scanning vibrometers provide time saving measurements without mass loading regardless whether on large areas, hot components, rotating parts, light weight surfaces, or at high frequencies.

www.polytec.com/usa/automotive

Aerospace Industry


In the aerospace industry there are undesired vibrations of parts and bodies that must be eliminated. Typical aerospace applications include design verification, characterizing airframe components for production and quality control, and evaluating aging aircraft structures for maintenance and repair. Measurements on aircraft wings, turbine blades and space structures can be performed for modal analysis and subsequent FEM validation. Polytec's scanning vibrometer is also the ideal tool for measuring surfaces of large aerospace objects difficult to reach with contact methods. www.polytec.com/usa/aerospace



Modal tests for validation of a solar sail design
(photos courtesy: NASA)



Vibration measurements on turbine blades
(photo courtesy: Greg Roberts / Pratt&Whitney)



Determination of stable flying heights for a hard disk read/write head


Noise investigation in hard disk spindle motors using scanning vibrometry




Data Storage

In designing hard disk drives, one of the challenges is to understand how mechanical interactions affect positioning. Methods accompanying design, optimization and quality control have to be fast but highly sensitive and precise. When verifying a new drive design, fast testing time is paramount. Laser-Doppler vibrometers have been effectively used for many years in design of data storage media. Disk and tape drives and their components encompass a wide range of dynamic applications. www.polytec.com/usa/datastorage


3-D vibration measurements for modal test on a disk drive suspension





Metrology and Calibration

Primary calibration of vibration transducers by laser Interferometry has the unique advantage that measurements of surface acceleration, velocity or displacement are made with a precision that is traceable directly to the wavelength of laser light. Also, laser vibrometric velocity measurements offer the possibility to perform traceable impulse calibrations of transducers subjected to known impulse loads.



Polytec GmbH (Germany)
 Polytec-Platz 1-7
 76337 Waldbronn
 Tel. + 49 (0) 7243 604-0
 Fax + 49 (0) 7243 69944
 info@polytec.de

Polytec France S.A.S.
 32 rue Délizy
 93694 Pantin Cedex
 Tel. + 33 (0) 1 48 10 39 3 0
 Fax + 33 (0) 1 48 10 09 66
 info@polytec.fr

Polytec Ltd. (Great Britain)
 Lambda House, Batford Mill
 Harpenden, Herts AL5 5BZ
 Tel. + 44 (0) 1582 711670
 Fax + 44 (0) 1582 712084
 info@polytec-ltd.co.uk

Polytec Japan
 Hakusan High Tech Park
 1-18-2 Hakusan, Midori-ku
 Yokohama-shi, 226-0006
 Kanagawa-ken
 Tel. +81 (0) 45 938-4960
 Fax +81 (0) 45 938-4961
 info@polytec.co.jp

Polytec, Inc. (USA)
 North American Headquarters
 1342 Bell Avenue, Suite 3-A
 Tustin, CA 92780
 Tel. +1 714 850 1835
 Fax +1 714 850 1831
 info@polytec.com


Midwest Office
 3915 Research Park Dr.
 Suite A-12
 Ann Arbor, MI 48108
 Tel. +1 734 662 4900
 Fax +1 734 662 4451

East Coast Office
 25 South Street, Suite A
 Hopkinton, MA 01748
 Tel. +1 508 544 1224
 Fax +1 508 544 1225

Production Testing

The optimization of products and processes plays an important role in a company's economic success. In industrial production, process and quality control relies on fast, automated and rugged measurement instrumentation. For both 100% quality control of manufactured products and on-line monitoring in continuous production, Polytec provides interferometric sensors that optically measure vibration, but also velocity, length and surface integrity. In addition, they offer many specific advantages for industrial production applications such as precise results without contact, a flexible retrofitting and continuous operation under industrial conditions with low maintenance.

www.polytec.com/usa/industrial



Automated 100% quality assurance of vehicle components
 (photo courtesy: P. Marpe, TRW Automotive)



Semiautomatic test station based on a Compact Laser Vibrometer for quality control of medical devices



Automatic vibration analysis for crack testing of cam rings

Please find more interesting applications and Polytec Application Notes on www.polytec.com/usa/applications