## Info

Subject: **Attachments:**  FW: Ossman Consulting Group Radio Link tool PathDatabase.csv; radiolinkdatabase.csv; RadioLinkTool.zip

**Greeting Gents** 

Place the zip file on to a memory card and unzip Install software

If you want to use the test database copy them to the dir you chose when you started the program

This tool is a test bed / proto type

The terrain data is taken from Google GE server. USGS NED server is more accurate but only works within the United states that is why I am using Google.

Terrain Data is 30 meter or 1 arc second based on where you are located

Current the screen resolution is set to 1920x1080 going smaller will create problems This issue will not be address until all functions have been worked out



To change the map type just chose the radio buttons to the left of the map The Radio equipment pop up has all of the parameters that will be used to run the analyses.

If you see something missing please recommend changes and some background detail



This next section is unique on the left site all of the problem areas are listed if you click on the warning type it map the area in question

It also shows a zoom of the path broken into a 1000 meter segment s



Site database section allows you to choose a site and see it location on the map

2440	2 Stellame	LaDeq	Lathe	Latiec	NorS	LonDeg	a LorMn	Lander	EorW	Dut	Dion	Tower Height	GE	AMSL	The second second		Sec. and	A CANADA AND
13	Glan	37	2	\$0.05	N.	79	41	544	W.	37.047469	-79.695444	30	262.9	0	a Satelite	o more o	Тетап Туре	Plead Map
ŧ.,	Water Tarri Radind church	- 22		26.63	91	10	*	36.01		301140731	79.630008	161	325.7	0	SCIENCE.	-	O TRADATO	The second second second second
15	Janet	37	2	56.42	N	29	41	42.21	W	37 549006	-79 695258	30	272.3	0	5. Y. A. S.	13-3	· · · · ·	
16	2625 Crab Orchard Rd	37	11	43.57	N	75	(25	11.1	W	37 194606	-79.40975	30	265.8	0	3.4.10	Sec. March	an 3/22	CENT CON
17	Sale House		29	2.93	<u>N</u>	34	29	286	W	8.651292	-84 652183	50	14.22	0	100 Carl	15	and the second	10000
14	Secret Drug Osees	9	40	2.05	N	24	39	30.4	W	94647236	-04.650444	942	1921.	0	250	Seg. C.		10 22
															Consultant			

Please review the tool and let me know what changes you would make.

Printing will not be added until the other detail are completed